



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/441,124	11/17/1999	HIDEAKI ONO	FUSA16.745	3879

26304 7590 06/21/2004

KATTEN MUCHIN ZAVIS ROSENMAN
575 MADISON AVENUE
NEW YORK, NY 10022-2585

EXAMINER

HOM, SHICK C

ART UNIT PAPER NUMBER

2666

DATE MAILED: 06/21/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/441,124

Applicant(s)

ONO ET AL.

Examiner

Shick C Hom

Art Unit

2666

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 April 2004 and 25 May 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-28 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 22-24 is/are allowed.
- 6) ☒ Claim(s) 1-3,9-16,18,20,21 and 25-28 is/are rejected.
- 7) ☒ Claim(s) 4-8,17 and 19 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 2666

DETAILED ACTION

Response to Arguments

1. Applicant's arguments filed 4/6/04 have been fully considered but they are not persuasive.
2. Applicant's arguments with respect to claims 1-28 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1-3, 9-16, 18, and 20-21 rejected under 35 U.S.C. 102(e) as being anticipated by Galand et al. (6,317,433).
Regarding claim 1:

Art Unit: 2666

Galand et al. disclose the apparatus for executing processing for switching a short-packet (see col. 2 lines 27-53 which recite converting short packets into ATM cells for ATM network) comprising: means for judging whether the length of the short packet is larger than length L bytes, where L bytes can be accommodated in one ATM cell (see col. 3 line 59 to col. 4 line 2 and col. 11 lines 35-49 which recite that since the ATM cell is 48 bytes and determining that the short packet being 124 bytes fits into 3 ATM cells clearly reads on means for judging whether the packet can be accommodated in one ATM cell); means for splitting the short packet, which has a length greater than the length L bytes, into short-packet portions so as to be accommodated respectively in first and second ATM cells (see col. 4 line 42 to col. 5 line 2 which recite splitting variable length payload into 48 bytes long ATM cells); and cell creation means for accommodating significant data containing one of the short-packet portions and short-packet length information in a payload area of the first ATM cell, accommodating remaining significant data including another short-packet portion, the remaining significant data could not be accommodated in the first ATM cell, in a payload area of the second ATM cell (see col. 2 line 65 to col. 3 line 16, col. 4 line 65 to col. 5 line 2, and col. 5 lines 31-40 which recite the stored payload length

Art Unit: 2666

indicator, the remaining significant data, i.e. payload data, in the second, i.e. last ATM cell, with padding bits), and inputting the first and second ATM cells to an ATM switch (see col. 6 line 66 to col. 7 line 20 which recite the ATM switch for the ATM cells).

Regarding claim 15:

Galand et al. disclose the apparatus for executing processing for switching a short-packet (see col. 2 lines 27-53 which recite converting short packets into ATM cells for ATM network), comprising: means for splitting the short packet, which has a length greater than a length L bytes, where L bytes can be in one ATM cell, into short-packet portions so as to be accommodated respectively in first and second ATM cells (see col. 4 line 42 to col. 5 line 2 which recite splitting variable length payload into 48 bytes long ATM cells); cell creation means for accommodating the short-packet portions in the first and second ATM cells, accommodating short-cell headers, onto which have been added length information identifying the length of the accommodated short-packet portion, in the first and second ATM cells (see col. 2 line 65 to col. 3 line 16, col. 4 line 65 to col. 5 line 2, and col. 5 lines 31-40 which recite the stored payload length indicator, the remaining significant data, i.e. payload data, in the second, i.e. last ATM cell, with

Art Unit: 2666

padding bits), and inputting the first and second ATM cells to an ATM switch (see col. 6 line 66 to col. 7 line 20 which recite the ATM switch for the ATM cells); and restoration means for discriminating the length of the short-packet portion accommodated in each ATM cell upon referring to the length information contained in the short-cell headers of first and second ATM cells output from the ATM switch, extracting the short-packet portion from each ATM cell based upon the length information, restoring the original short packet having a length greater than L bytes, and sending the original short packet to a line (see col. 10 lines 34-51 which recite reconstructing the original payload from the ATM cells clearly reads on restoring the original short packet).

Regarding claim 18:

Galand et al. disclose the apparatus for executing processing for switching a short-packet (see col. 2 lines 27-53 which recite converting short packets into ATM cells for ATM network), comprising: means for splitting the short packet, which has a length greater than a length L bytes where L bytes are capable of being accommodated in one ATM cell, into short-packet portions so as to be accommodated respectively in first and second ATM cells (see col. 4 line 42 to col. 5 line 2 which recite splitting variable length payload into 48 bytes

Art Unit: 2666

long ATM cells); cell creation means for accommodating the short-packet portions in payloads of the first and second ATM cells, accommodating short-cell headers, onto which have been added information identifying lengths of respective ones of the short-packet portions, in the payloads of the first and second ATM cells, adding on code information, which is for identifying the first and second ATM cells, to a predetermined position of each ATM cell (see col. 2 line 65 to col. 3 line 16, col. 4 line 65 to col. 5 line 2, and col. 5 lines 31-40 which recite the stored payload length indicator, the remaining significant data, i.e. payload data, in the second, i.e. last ATM cell, with padding bits), and inputting the first and second ATM cells to an ATM switch (see col. 6 line 66 to col. 7 line 20 which recite the ATM switch for the ATM cells); and restoration means for discriminating the length of the short-packet portion accommodated in each ATM cell upon referring to the length information contained in first and second ATM cells output from the ATM switch, identifying the first and second ATM cells upon referring to the code information, extracting the short-packet portion from each ATM cell based upon the length information and code information, restoring the original short packet having a length greater than L bytes, and sending the original short packet to a line (see col. 10 lines 34-51 which recite

Art Unit: 2666

reconstructing the original payload from the ATM cells clearly reads on restoring the original short packet).

Regarding claim 20:

Galand et al. disclose the ATM exchange for handling AAL Type 2 cells, comprising: a preprocessor for receiving a short packet (see col. 2 lines 27-53 which recite converting short packets into ATM cells for ATM network), the short packet having a length greater than a length of L bytes, where L bytes can be accommodated in one ATM cell, splitting the short packet and converting it to two standard ATM cells (see col. 4 line 42 to col. 5 line 2 which recite splitting variable length payload into 48 bytes long ATM cells and col. 2 line 65 to col. 3 line 16, col. 4 line 65 to col. 5 line 2, and col. 5 lines 31-40 which recite the stored payload length indicator, the remaining significant data, i.e. payload data, in the second, i.e. last ATM cell, with padding bits); an ATM switch for switching the standard ATM cells (see col. 6 line 66 to col. 7 line 20 which recite the ATM switch for the ATM cells), which enter from said preprocessor, to a prescribed outbound path upon referring to headers of the ATM cells; and a restoration unit, which is provided on the outbound-path side of said ATM switch, for receiving the two standard ATM cells created based upon the split short packet, assembling the original short packet, the

Art Unit: 2666

length of which is greater than L bytes, using these standard ATM cells, and outputting the short packet to a line (see col. 10 lines 34-51 which recite reconstructing the original payload from the ATM cells clearly reads on assembling the original short packet).

Regarding claim 21:

Galand et al. disclose the ATM exchange method for switching a short-packet (see col. 2 lines 27-53 which recite converting short packets into ATM cells for ATM network), comprising the steps of receiving the short packet, the short packet having a length greater than a length of L bytes, where L bytes can be accommodated in one ATM cell (see col. 3 line 59 to col. 4 line 2 and col. 11 lines 35-49 which recite that since the ATM cell is 48 bytes and determining that the short packet being 124 bytes fits into 3 ATM cells clearly reads on receiving short packet which can be accommodated in one ATM cell); creating two standard ATM cells by splitting the short packet (see col. 4 line 42 to col. 5 line 2 which recite splitting variable length payload into 48 bytes long ATM cells), and then inputting the two standard ATM cells to an ATM switch (see col. 6 line 66 to col. 7 line 20 which recite the ATM switch for the ATM cells); switching the standard ATM cells in the ATM switch to a prescribed outbound path upon referring to headers of the

Art Unit: 2666

ATM cells; receiving two standard ATM cells, which have been created by splitting the short packet, from the ATM switch; and assembling the original short packet, the length of which is greater than L bytes, using these standard ATM cells, and outputting the short packet to a line (see col. 10 lines 34-51 which recite reconstructing the original payload from the ATM cells clearly reads on assembling the original short packet).

Regarding claim 2:

Galand et al. disclose the restoration means for extracting short-packet portions accommodated in respective ones of first and second ATM cells upon referring to said short-packet length information that has been accommodated in the first ATM cell output from the ATM switch, restoring the original short packet having a the length greater than L bytes, and sending the original short packet to a line (see col. 10 lines 34-51 which recite reconstructing the original payload from the ATM cells clearly reads on restoring the original short packet).

Regarding claim 3:

Galand et al. disclose wherein said cell creation means accommodates the significant data in the payload of the first ATM cell in such a manner that the amount of the significant data accommodated in the payload of the first ATM cell becomes a predetermined amount, and accommodates the remaining significant

Art Unit: 2666

data in the payload of the second ATM cell (see col. 4 lines 42-64 and col. 4 line 65 to col. 5 line 2).

Regarding claim 9:

Galand et al. disclose means for generating code information for identifying the first and second ATM cells; said cell creation means adding on the code information in a specific area of each of the first and second ATM cells, and said restoration means detecting absence or presence of cell discard upon referring to the code information of a received ATM cell (see col. 7 lines 21-26 which recite discarding packet based on integrity of the received packet header clearly reads on the code information for in the cells).

Regarding claim 10:

Galand et al. disclose wherein said restoration means preserves the significant data that has been accommodated in the payload of one of the first and second ATM cells received from the ATM switch and, if cell discard is detected, discards the preserved significant data (see col. 10 lines 34-51 which recite reconstructing the original payload from the ATM cells and col. 7 lines 21-26 which recite discarding packet based on integrity of the received packet header).

Regarding claim 11:

Art Unit: 2666

Galand et al. disclose wherein the specific area is an area within the payload of the first and second ATM cells and contains no significant data of the short packet (see col. 7 lines 21-26 which recite discarding packet based on integrity of the received packet header clearly reads on the code information for in the cells in the specific area containing no significant data, i.e. payload data).

Regarding claim 12:

Galand et al. disclose wherein the specific area is an unused area within an ATM cell header (see col. 7 lines 21-26 which recite the header area).

Regarding claim 13:

Galand et al. disclose wherein said cell creation means adds on a short-packet header in the payload area of each of the first and second ATM cells and employs an unused area within the short-packet header of each cell as the specific area (see col. 7 lines 21-26 which recite the header area).

Regarding claim 14:

Galand et al. disclose means for generating an error detection code for detecting an error in significant data; said cell creation means adding on the error detection code in a specific area of the second ATM cell, and said restoration means calculating an error detection code using significant data in

Art Unit: 2666

the payload area of a received ATM cell, comparing this calculated error code with a received error correction code and detecting absence or presence of cell discard and bit error in data (see col. 3 line 59 to col. 4 line 2, col. 7 lines 21-26, and col. 10 lines 34-51).

Regarding claim 16:

Galand et al. disclose wherein said cell creation means accommodates L-byte short-packet portion in the first cell and remaining short-packet portion in the second cell, makes length information LI of the first ATM cell a specific value, e.g., 0, and makes length information LI of the second ATM cell a value indicating the length of the short packet (see col. 2 line 65 to col. 3 line 16, col. 4 line 65 to col. 5 line 2, and col. 5 lines 31-40).

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2666

6. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary.

Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

7. Claims 25-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Galand et al. (6,317,433) in view of Baldwin et al. (5,953,339).

Regarding claims 25-28:

For claims 25-28, Galand et al. disclose the apparatus and method described in paragraph 4 of this office action. Galand et al. disclose all the subject matter of the claimed invention with the exception of wherein said short-packet is a short-packet in AAL Type 2 cell format.

Baldwin et al. from the same or similar fields of endeavor teach that it is known to provide wherein said short-packet is a short-packet in AAL Type 2 cell format (see col. 1 lines 51-57).

Art Unit: 2666

Thus, it would have been obvious to the person having ordinary skill in the art at the time the invention was made to provide said short-packet being a short-packet in AAL Type 2 cell format as taught by Baldwin et al. in the apparatus and method of Galand et al. The short-packet being a short-packet in AAL Type 2 cell format can be implemented by substituting the AAL5 standard packets of Galand et al. with the AAL2 packet format of Baldwin et al. The motivation for substituting the AAL5 format for the AAL2 format packets as taught by Baldwin et al. in the apparatus and method of Galand et al. being that AAL2 provides the desirable standard feature of an ATM adaptation Layer which supports class B traffic, i.e. voice and video.

Allowable Subject Matter

8. Claims 4-8, 17, and 19 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

9. Claims 22-24 are allowed.

Art Unit: 2666

Conclusion

10. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Caves discloses multiplexing traffic into structure blocks in ATM cells.

11. Any response to this nonfinal action should be mailed to:

Commissioner of Patents and Trademarks
Washington, D.C. 20231

or faxed to:

(703) 872-9306, (for Technology Center 2600 only)

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington. VA., Sixth Floor (2600 Receptionist at (703) 305-4750).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shick Hom whose telephone number is (703) 305-4742. The examiner's regular work schedule is Monday to Friday from 8:00 am to 5:30 pm EST and out of office on alternate Friday.

Application/Control Number: 09/441,124
Art Unit: 2666

Page 16

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Seema Rao, can be reached at (703) 308-5463.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.



DANG TON
PRIMARY EXAMINER

SH

June 13, 2004